

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

modic pastime, but a business, with well defined duties and responsibilities. A bird trap must not be used like a mouse trap, to be baited and set and left to itself until one happens to think of it again. Bird traps should be open to constant observation and must be visited regularly and frequently, because: (1) birds of certain species will not submit to the trap but will kill themselves in efforts to escape; (2) birds that do not object to the confinement may nevertheless quarrel and injure or kill each other; (3) birds that you wish to protect and save may be killed by the other birds or by rats trapped with them; (4) birds are liable to be killed by exposure in traps overnight. . . . Trap and band, if you are competent and willing and able to do it properly; . . . but do not, yourself, nor permit anyone else to, bring terror or destruction to those birds that our Association is pledged to protect."

COMMUNICATION

THE BIOLOGICAL SURVEY BIRD COUNTS To the Editor of The Condor:

The Biological Survey began in 1914 to collect data on the numerical distribution of bird life in the United States. By such information, which is gained through counts made by volunteer collaborators, of the birds breeding on selected areas, it is possible to gain some knowledge of the yearly fluctuations in bird life and of the effect the present State and Federal laws may have on the increase of game and insectivorous birds. During the earlier years we received a very gratifying response to our request for assistance, but during the war many persons were unable to continue the work and interest in it has seemed to wane. It is desirable that these counts should be repeated on a large scale through a period of years in order that adequate data may be accumulated to make possible definite conclusions. Any one thoroughly familiar with the breeding birds of his vicinity can do this work, and will find it growing in interest from year to year. We are therefore again appealing to the readers of THE CONDOR in the hope that all who are able to do so will make one or more bird counts this summer.

The general plan of this work is to select a tract of land containing from 40 to 80 acres and representing as nearly as possible the average conditions for the vicinity. Some day, during the height of the breeding season, this land should be carefully gone over in the early morning and the male birds counted, which at that season are usu-

ally in full song and may be considered each to represent a breeding pair. The result of this count should be checked subsequently to be sure that all birds counted nest within the selected area, and that none have been missed. The count should not be made until the spring migration is over and the birds are settled on their nesting grounds. In the latitude of Washington, D. C., the best time for the first count is about the first of June; in New England and the northern states probably about June 10; and south of Washington, during the latter part of May.

Anyone who is willing to do this work is requested to send his name and address to the Biological Survey, Washington, D. C. Full directions for making a count and report blanks will be sent in time for plans to be made before the actual time for the field work. Since the Bureau has no funds with which to pay for this work, it must depend on the services of voluntary observers.

An added impetus should be given to this work at the present time by the report that the British ornithologists are contemplating a census of the birds of the British Isles, planned along the same lines as our own.

Very truly yours,

E. W. Nelson,

CHIEF, BIOLOGICAL SURVEY, Washington, D. C., February 1, 1922.

MINUTES OF COOPER CLUB MEETINGS

SOUTHERN DIVISION

OCTOBER.—The regular monthly meeting of the Southern Division, Cooper Ornithological Club, was held at the Los Angeles Museum at 8 p. m., October 27, 1921. President Dickey was in the chair, with others present as follows: Messrs. Appleton, Barnes, Brown, Chambers, Hanaford, Howell, Lamb, Little, Miller, Pierce, Rich, van Rossem, Taylor, Warmer, Wyman; Mesdames Hall, Schneider and Warmer, and Misses Beers, Burnell, Germain and Kennedy. Mrs. Beers, Mrs. van Rossem and Miss Martin were visitors.

Minutes of September meeting were read and approved. The following new names were presented: Benjamin W. King, Coeur d'Alene, Idaho, by H. J. Rust; Mabel M. Lawrence, Los Angeles, by Wright M. Pierce; Harry Rae Van Cleve, Los Angeles, by Dr. Warmer; James Norris Proctor, Santa Paula, by J. O. Snyder; Mrs. Aurelia B. Ferguson, Los Angeles, by Mrs. Bicknell. The Northern Division sent the name of Mrs. Sara S. Boyle, Berkeley.

Business Manager Chambers announced